

Compliance Schedule Details:

SS 15/2 – Final Exits

Please provide the following information with your Building Consent Application - Form 2

(If you need help to complete this form, consult the system provider or an IQP who is registered for the system above)

Applicant Name:	Building Name:
Site Address:	Installation provider: <i>(if known)</i>
.....
Existing Compliance Schedule Number(s): <i>(if applicable)</i>	Risk / Purpose group:
.....	Fire Hazard Category:
.....	Total Occupant Load:

SPECIFIED SYSTEM DESCRIPTION (address those items that apply)

Specified systems: Existing New Modified Removed

Type:	<input type="checkbox"/> An exit door from the building to the street <input type="checkbox"/> An exit gate at the base of an external stair <input type="checkbox"/> An exit gate between an enclosed yard of a building and the street <input type="checkbox"/> A door between two evacuation zones in a hospital with staged evacuation <input type="checkbox"/> A door between two buildings where either building is a safe place for the adjacent building <input type="checkbox"/> Other: [Specify]
--------------	---

Location Plan for exits and records is attached: YES NO

No.	Door/Exit location	Hardware	Model
1			
2			
3			
4			
<i>If needed continue the list on another sheet of paper</i>			

STANDARDS (address those items that apply)

Specifically, designed solutions do not apply if the system has been installed against a specific Standard / document.

<p>Performance / installation:</p>	<ul style="list-style-type: none"> <input type="checkbox"/> C/AS2 Acceptable Solution for Buildings other than Risk Group SH. 27 Oct 2019. Amd 1. Part 3: means of escape. <input type="checkbox"/> C/AS2 Acceptable Solution for Buildings other than Risk Group SH. 27 Jun 2019. 1st Ed. Part 3: means of escape. <input type="checkbox"/> C/AS2 Acceptable Solution for Buildings with Sleeping (non-institutional) (Risk Group SM). 1 Jan 2017. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS3 Acceptable Solution for Buildings Where Care or Detention is Provided (Risk Group SI). 1 Jan 2017. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS4 Acceptable Solution for Buildings with Public Access and Educational Facilities (Risk Group CA) 1 Jan 2017. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS5 Acceptable Solution for Buildings used for Business, Commercial and Low-Level Storage (Risk Group WB) 1 Jan 2017. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS6 Acceptable Solution for Buildings used for High Level Storage and Other High-Risk Purposes (Risk Group WS) 1 Jan 2017. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS7 Acceptable Solution for Buildings Used for Vehicle Storage and Parking (Risk Group VP) 1 Jan 2017. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 10 Oct 2011. Amd 9. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 30 Jun 2010. Amd 8. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Nov 2008. Amd 7. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 21 Jun 2007. Amd 6. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Oct 2005. Amd 5. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 4 Jul 2005. Amd 4. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 25 Feb 2004. Amd 3. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 24 Apr 2003. Amd 2. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 6 Jan 2002. Amd 1. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Jul 2001. Errata. Part 3: means of escape. <input type="checkbox"/> C/AS1 Acceptable Solution for Clauses C1-C4 Fire Safety. 1 Jun 2001. Ver 1. Part 3: means of escape. <input type="checkbox"/> C/AS2 Acceptable Solution for Clause C2 Means of escape. Aug 1994. Amd 2 ss 2.7 & 7.2. <input type="checkbox"/> C/AS2 Acceptable Solution for Clause C2 Means of escape. Sep 1993. Amd 1 ss 2.7 & 7.2. <input type="checkbox"/> C/AS2 Acceptable Solution for Clause C2 Means of escape. Jul 1992. 1st ed ss 2.7 & 7.2. <input type="checkbox"/> Specifically, designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so. (Details provided) <input type="checkbox"/> Other:
<p>Inspections:</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Final Exits located in a means of escape shall be inspected to ensure occupants are not prevented from leaving the building in the event of an emergency. Final Exits located in a means of escape shall be inspected monthly or annually. <input type="checkbox"/> Specifically, designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so. (Details provided) <input type="checkbox"/> Other:

Maintenance:	<input type="checkbox"/> Final exits shall be maintained at all times in a safe condition with particular attention to: <ul style="list-style-type: none"> - Freedom from obstructions - Locking, Blocking and Barring - Ease of opening any door leading into the escape route and at the final exit 	<input type="checkbox"/> Specifically, designed solution prepared by a person who, on the basis of experience and qualifications, is competent to do so. (Details provided) <input type="checkbox"/> Other: <p style="text-align: right;"><i>Continue on the next page</i></p>
INSPECTIONS, MAINTENANCE AND REPORTING (address those items that apply)		
Minimum inspection and maintenance procedures:	Regular inspection and responsive maintenance will be carried out to ensure occupants are not prevented from leaving the building in the event of an emergency.	
Inspection frequency and responsibility:	Depends on the type of installation and its performance standard/documents defined in Fire Safety & Evacuation of Buildings Regulations, 2006: <ul style="list-style-type: none"> <input type="checkbox"/> Specifically, designed solutions: by IQP only <input type="checkbox"/> Standard /other document: <ul style="list-style-type: none"> <input type="checkbox"/> Daily by Owner / representative (for Risk group CA / Purpose groups CS, CL, CO, CM) <input type="checkbox"/> Monthly by IQP only <input type="checkbox"/> Annually by IQP only 	
Buildings requiring daily inspections:	<input type="checkbox"/> CS Purpose group <input type="checkbox"/> CL Purpose group <input type="checkbox"/> CO Purpose group <input type="checkbox"/> CM Purpose group <input type="checkbox"/> Building work affecting a Final Exit	<input type="checkbox"/> Risk Group CA
Inspections & Maintenance: Daily/monthly inspections	Doors will be inspected to ensure:	
Maintenance:	Ensure final exits are:	
Reporting:		